

Webseiten-Bericht für scope.com

Generiert am 06 Januar 2024 13:14 PM

Der Wert ist 67/100



SEO Inhalte

	Seitentitel	Oscilloscope Keysight Länge : 23 Perfekt, denn Ihr Seitentitel enthält zwischen 10 und 70 Anzahl Zeichen.										
	Seitenbeschreibung	Get a Keysight Oscilloscope and measure with confidence. Award-winning Digital Oscilloscopes with signal integrity, testing, and general debugging tools. Länge : 153 Großartig, denn Ihre Seitenbeschreibung enthält zwischen 70 und 160 Anzahl Zeichen.										
	Suchbegriffe	Oscilloscope, oscilloscopes, scopes, real-time oscilloscopes, signals, sampling oscilloscopes, probes, oscilloscope software, oscilloscope probes Gut, denn Ihre Webseite enthält Suchbegriffe.										
	Og META Eigenschaften	Sehr gut, denn diese Webseite nutzt die Vorteile aus den Og Properties. <table><thead><tr><th>Eigenschaft</th><th>Inhalt</th></tr></thead><tbody><tr><td>title</td><td>Oscilloscope</td></tr><tr><td>url</td><td>https://www.keysight.com/us/en/products/oscilloscopes.html</td></tr><tr><td>locale</td><td>en</td></tr><tr><td>image</td><td>https://www.keysight.com/content/dam/keysight/en/img/prd/scopes-analyzers-meters/oscilloscopes/Scopes-Category-Page-Software_1600x900.png</td></tr></tbody></table>	Eigenschaft	Inhalt	title	Oscilloscope	url	https://www.keysight.com/us/en/products/oscilloscopes.html	locale	en	image	https://www.keysight.com/content/dam/keysight/en/img/prd/scopes-analyzers-meters/oscilloscopes/Scopes-Category-Page-Software_1600x900.png
Eigenschaft	Inhalt											
title	Oscilloscope											
url	https://www.keysight.com/us/en/products/oscilloscopes.html											
locale	en											
image	https://www.keysight.com/content/dam/keysight/en/img/prd/scopes-analyzers-meters/oscilloscopes/Scopes-Category-Page-Software_1600x900.png											

SEO Inhalte

		description Get a Keysight Oscilloscope and measure with confidence. Award-winning Digital Oscilloscopes with signal integrity, testing, and general debugging tools. site_name Keysight
	Überschriften	H1 1 H2 9 H3 10 H4 1 H5 0 H6 0 • [H1] Oscilloscope • [H2] What are you looking for? • [H2] Oscilloscope Measurements You Can Count On • [H2] Find the Oscilloscope That's Right For You • [H2] Select the Oscilloscope Software That's Right For You • [H2] Which Oscilloscope Probe Do You Need? • [H2] KeysightAccess • [H2] Extend Your Capabilities With The Right Tools • [H2] Featured Resources • [H2] FREQUENTLY ASKED QUESTIONS - Oscilloscopes • [H3] Industry's largest selection of oscilloscope software • [H3] PathWave BenchVue Oscilloscope Software • [H3] Over 50 Compliance Test Software Packages • [H3] WHAT IS AN OSCILLOSCOPE? • [H3] WHAT ARE THE DIFFERENT TYPES OF OSCILLOSCOPES? • [H3] WHAT IS AN OSCILLOSCOPE USED FOR? • [H3] HOW DOES AN OSCILLOSCOPE WORK? • [H3] WHAT'S THE DIFFERENCE BETWEEN AN OSCILLOSCOPE AND A SPECTRUM ANALYZER? • [H3] • [H3] HOW DO YOU USE AN OSCILLOSCOPE? • [H4] Welcome
	Bilder	Es konnten 87 Bilder auf dieser Webseite gefunden werden. Bei 19 Bilder(n) fehlt ein ALT-Attribut. Fügen Sie ALT-Attribute zu Ihren Bildern, um die Bedeutung der Bilder für Suchmaschinen zugänglich zu machen.
	Text/HTML Verhältnis	Anteil : 33% Ideal! Das Text zu HTML Code Verhältnis dieser Webseite ist zwischen 25 und 70 Prozent.
	Flash	Perfekt, denn es wurde kein Flash auf Ihrer Webseite gefunden.
	IFrame	Großartig, denn Sie verwenden keine IFrames auf Ihrer Webseite.

SEO Links

	URL Rewrite	Gut. Ihre Links sind für Suchmaschinen gut lesbar (sprechende Links)!
	Underscores in the URLs	Perfekt! Wir haben keine Unterstriche in Ihren Links entdeckt.
	In-page links	We found a total of 175 links including 1 link(s) to files
	Statistics	Externe Links : noFollow 2.29% Externe Links : natürliche Links 37.14% Interne Links 60.57%

In-page links

Anker	Typ	Natürlich
Download the latest version	extern	natürliche Links
My Profile	extern	natürliche Links
Logout	extern	natürliche Links
Login	extern	natürliche Links
Register	extern	natürliche Links
🇧🇷	extern	natürliche Links
🇨🇦	extern	natürliche Links
🇩🇪🇦🇩	extern	natürliche Links
🇫🇷	extern	natürliche Links
Brasil	extern	natürliche Links
Canada	extern	natürliche Links
Deutschland	extern	natürliche Links
France	extern	natürliche Links
India	extern	natürliche Links
Malaysia	extern	natürliche Links
United Kingdom	extern	natürliche Links

In-page links

United States	extern	natürliche Links
Australia	extern	natürliche Links
Austria	extern	natürliche Links
Belgium	extern	natürliche Links
Denmark	extern	natürliche Links
Finland	extern	natürliche Links
Hong Kong, China	extern	natürliche Links
Ireland	extern	natürliche Links
Israel	extern	natürliche Links
Italy	extern	natürliche Links
Mexico	extern	natürliche Links
Netherlands	extern	natürliche Links
Singapore	extern	natürliche Links
Spain	extern	natürliche Links
Sweden	extern	natürliche Links
Switzerland (German)	extern	natürliche Links
Thailand	extern	natürliche Links
Vietnam	extern	natürliche Links
more...	extern	natürliche Links
PRODUCTS AND SERVICES	intern	natürliche Links
Real-Time Oscilloscopes — General Purpose	intern	natürliche Links
Real-Time Oscilloscopes — Compliance	intern	natürliche Links
Equivalent-Time Sampling Oscilloscopes	intern	natürliche Links
Handheld, Modular, and USB Oscilloscopes	intern	natürliche Links
Oscilloscope Software	intern	natürliche Links
Oscilloscope Probes	intern	natürliche Links
Spectrum Analyzers (Signal Analyzers)	intern	natürliche Links
Network Analyzers	intern	natürliche Links

In-page links

Logic Analyzers	intern	natürliche Links
Protocol Analyzers and Exercisers	intern	natürliche Links
Bit Error Ratio Testers	intern	natürliche Links
Noise Figure Analyzers and Noise Sources	intern	natürliche Links
High-Speed Digitizers and Multichannel DAQ Solutions	intern	natürliche Links
AC Power Analyzers	intern	natürliche Links
DC Power Analyzers	intern	natürliche Links
Materials Test Equipment	intern	natürliche Links
Device Current Waveform Analyzers	intern	natürliche Links
Parameter / Device Analyzers and Curve Tracers	intern	natürliche Links
Digital Multimeter	intern	natürliche Links
Phase Noise Measurement	intern	natürliche Links
Power Meters and Power Sensors	intern	natürliche Links
Counters	intern	natürliche Links
LCR Meters and Impedance Measurement Products	intern	natürliche Links
Picoammeters and Electrometers	intern	natürliche Links
Signal Generators (Signal Sources)	intern	natürliche Links
Waveform and Function Generators	intern	natürliche Links
Arbitrary Waveform Generators	intern	natürliche Links
Pulse Generator Products	intern	natürliche Links
HEV / EV / Grid Emulators and Test Systems	intern	natürliche Links
DC Power Supplies	intern	natürliche Links
Source / Measure Units	intern	natürliche Links
DC Electronic Loads	intern	natürliche Links
AC Power Sources	intern	natürliche Links
EDA Software	intern	natürliche Links
Instrument Measurement Software	intern	natürliche Links
Instrument Workflow Software	intern	natürliche Links

In-page links

Software Testing	intern	natürliche Links
Channel Emulation	intern	natürliche Links
IoT Regulatory Compliance	intern	natürliche Links
Wireless Drive Test	intern	natürliche Links
Radio Access and Core Network Test	intern	natürliche Links
Wireless Analyzers	intern	natürliche Links
Wireless Network Emulators	intern	natürliche Links
5G NR Base Station Test	intern	natürliche Links
Over-The-Air Test	intern	natürliche Links
PXI Products	intern	natürliche Links
AXIe Products	intern	natürliche Links
Data Acquisition System (DAQ)	intern	natürliche Links
USB Products	intern	natürliche Links
VXI Products	intern	natürliche Links
Reference Solutions	intern	natürliche Links
Application and Threat Intelligence	intern	natürliche Links
Cloud Test	intern	natürliche Links
Cyber Training Simulator	intern	natürliche Links
Network Test Hardware	intern	natürliche Links
Synthetic Traffic Generators	intern	natürliche Links
Protocol and Load Test	intern	natürliche Links
Network Security Test	intern	natürliche Links
Network Modeling	intern	natürliche Links
Bypass Switches	intern	natürliche Links
Clock Synchronization	extern	natürliche Links
Cloud Visibility	intern	natürliche Links
Network and Application Monitoring	intern	natürliche Links
Network Packet Brokers	intern	natürliche Links

In-page links

Network Taps	intern	natürliche Links
KeysightCare Service and Support	intern	natürliche Links
KeysightAccess Service	intern	natürliche Links
Calibration Services Global Calibration Services	intern	natürliche Links
Repair Services	intern	natürliche Links
Technology Refresh Services	intern	natürliche Links
Test as a Service — TaaS	intern	natürliche Links
Network / Security Services	intern	natürliche Links
Consulting Services	intern	natürliche Links
Financial Services	intern	natürliche Links
Education Services	intern	natürliche Links
Keysight Support Portal	extern	natürliche Links
Used Equipment	extern	natürliche Links
In-Circuit Test Systems	intern	natürliche Links
Application-Specific Test Systems and Components	intern	natürliche Links
Parametric Test Solutions	intern	natürliche Links
Photonic Test and Measurement Products	intern	natürliche Links
Laser Interferometers and Calibration Systems	intern	natürliche Links
Monolithic Laser Combiners and Precision Optics	intern	natürliche Links
MMIC Millimeter-Wave and Microwave Devices	intern	natürliche Links
Solutions	intern	natürliche Links
Learn	intern	natürliche Links
Buy	intern	natürliche Links
Support	intern	natürliche Links
Exit Procurement Session	intern	natürliche Links
MXG Signal Generator	extern	natürliche Links
ENA-X Network Analyzer	extern	natürliche Links
Keysight EDA 2024	extern	natürliche Links

In-page links

Artificial Intelligence	extern	natürliche Links
Find a solution	extern	natürliche Links
Get technical support	extern	natürliche Links
Take a class	extern	natürliche Links
Find us at events	extern	natürliche Links
Premium used equipment	extern	natürliche Links
KeysightCare	extern	natürliche Links
Buy online	extern	natürliche Links
Previous Version	intern	natürliche Links
{{titleLabel}}	intern	natürliche Links
Products and Services	extern	natürliche Links
View All Oscilloscopes	extern	natürliche Links
supports HTML5 video	extern	noFollow
Take a Tour	extern	noFollow
Take a Tour	extern	noFollow
Oscilloscope Probes Selection Guide	extern	natürliche Links
7 Common Oscilloscope Probing Pitfalls to Avoid	extern	natürliche Links
See Compatible Software	intern	natürliche Links
See Compatible Accessories	intern	natürliche Links
How to Use an Oscilloscope	extern	natürliche Links
Oscilloscope Technical Resources	intern	natürliche Links
Contact Us	intern	natürliche Links
Back to Top	extern	noFollow
Industries	intern	natürliche Links
Events	intern	natürliche Links
Used Equipment	extern	natürliche Links
Discover Insights	extern	natürliche Links
Success Stories	intern	natürliche Links

In-page links

Blog	extern	natürliche Links
Community	extern	natürliche Links
Partners	intern	natürliche Links
Manage Software Licenses	extern	natürliche Links
Product Order Status	extern	natürliche Links
Parts	extern	natürliche Links
About Keysight	intern	natürliche Links
Newsroom	extern	natürliche Links
Investor Relations	extern	natürliche Links
Quality and Security	intern	natürliche Links
Corporate Social Responsibility	intern	natürliche Links
Diversity, Equity, and Inclusion	intern	natürliche Links
Modern Slavery Act Transparency Statement	intern	natürliche Links
Careers	extern	natürliche Links
Privacy	intern	natürliche Links
Sitemap	intern	natürliche Links
Terms	intern	natürliche Links
Trademark Acknowledgements	extern	natürliche Links
Feedback	intern	natürliche Links

SEO Suchbegriffe

	Suchbegriffswolke	products network keysight signal services all software oscilloscopes oscilloscope test
--	-------------------	---

Keywords Consistency

Suchbegriff	Inhalt	Seitentitel	Suchbegriffe	Seitenbeschreibung	Überschriften
-------------	--------	-------------	--------------	--------------------	---------------

Keywords Consistency

oscilloscope	47	✓	✓	✓	✓
test	32	✗	✗	✓	✓
software	29	✗	✓	✗	✓
oscilloscopes	25	✗	✓	✓	✓
services	18	✗	✗	✗	✗

Benutzerfreundlichkeit

	URL	Domain : scope.com Länge : 9
	Favoriten Icon	Gut. Die Webseite hat ein Favicon.
	Druckeigenschaften	Es konnten keine druckfreundlichen CSS-Angaben gefunden werden.
	Sprache	Gut, denn Sie haben in den META-Elementen eine Sprache deklariert: en.
	Dublin Core	Diese Webseite nutzt nicht die Vorteile der Dublin Core Elemente.

Dokument

	Doctype	HTML 5
	Verschlüsselung	Perfekt, denn Ihre Webseite deklariert einen Zeichensatz: UTF-8.
	W3C Validität	Fehler : 13 Warnungen : 2
	E-Mail Datenschutz	Sehr gut, denn es wurde keine E-Mail Adresse im Klartext auf Ihrer Webseite gefunden.
	Veraltetes HTML	Sehr gut! Sie verwenden aktuelle HTML Tags in Ihrem Webseitenquelltext.

Dokument

	Tipps zur Webseitengeschwindigkeit	 Sehr gut, denn Ihre Webseite benutzt keine verschachtelten Tabellen.  Schlecht, denn es wurden CSS-Angaben in HTML-Elementen entdeckt. Diese Angaben sollten in ein entsprechendes CSS-Stylesheet verlagert werden.  Nicht so gut, denn Ihre Webseite enthält sehr viele CSS-Dateien (mehr als 4).  Nicht so gut, denn Ihre Webseite enthält viele Javascript-Dateien (mehr als 6).  Ihre Webseite nutzt die Vorteile von gzip nicht.
--	------------------------------------	---

Mobile

	Mobile Optimierung	 Apple Icon  META Viewport Tag  Flash Inhalt
--	--------------------	--

Optimierung

	XML-Sitemap	Perfekt! Ihre Seite hat eine XML-Sitemap. https://www.keysight.com/us/en/products/oscilloscopes.html?jmpid=MC9804
	Robots.txt	http://scope.com/robots.txt Sehr gut! Ihre Webseite enthält eine robots.txt-Datei.
	Analytics	Fehlt Wir haben nicht ein Analyse-Tool auf dieser Website installiert zu erkennen. Webanalyse erlaubt die Quantifizierung der Besucherinteraktionen mit Ihrer Seite. Insofern sollte zumindest ein Analysetool installiert werden. Um die Befunde abzusichern, empfiehlt sich das parallele Verwenden eines zweiten Tools.